

KNIT and CROCHET

Style Parade

SWEATERS AND ACCESSORIES FEATURING CHADWICK'S ORLON YARNS



CHADWICK'S

RED



HEART

Quality Yarns

First in the **STYLE PARADE**

... the newly developed Chadwick's Red Heart Orlon* "Fashion Yarn" and Chadwick's Red Heart Orlon* "Fashion-Glo." These wonderful yarns are as soft as a cobweb, as washable as a handkerchief and as fast-drying as any yarn can be!

Chadwick's Red Heart Orlon* "Fashion Yarn" is ideally suited for sweaters, socks and accessories for the whole family—it is hard-wearing and holds its shape after repeated washings.

Chadwick's Red Heart Orlon* "Fashion-Glo" is especially designed for glamorous garments, and you'll appreciate the fact that the metallic thread is washable and will never tarnish.

No doubt about it, Chadwick's Red Heart Orlon* "Fashion Yarn" and Chadwick's Red Heart Orlon* "Fashion-Glo," with their Shrink-proof and Moth-proof qualities, are first in the Style and Value Parade!

Colors Available in "FASHION YARN"

White	Baby Blue	Nile Green
Maize	Baby Pink	Bittersweet
		Navy

Colors available in "FASHION-GLO"

White with silver	Yellow with gold
Pearl Grey with silver	Emerald with emerald green
Black with silver	Pink with blush pink

*Du Pont's acrylic fiber





Dress . . . C-248
Directions on Page 4



C-248 . . . designed for late afternoon or evening, a charming dress of crocheted lace.

Illustrated in color on Page 3

Size 12 to 14

CHADWICK'S RED HEART ORLON FASHION YARN, 3 Ply, Art. E.265: 16 skeins (1 oz. "Tangle-Proof" Pull-Out Skeins) of No. 858 Navy.

Clark's O.N.T. Plastic Crochet Hook No. 2.

A Navy Crown Zipper, 10 inches long, Style F.1.

GAUGE: 3 joint dc make 1 inch; 3 rows make 1 inch.

Each motif measures $1\frac{1}{2}$ inches in diameter.

Bust Measurement: 32 to 34 inches.

SKIRT . . . Starting at lower edge make a chain 65 inches long. **1st rnd:** Holding back on hook the last loop of each dc, make dc in 6th ch from hook, skip 2 ch, dc in next ch, yarn over and draw through all loops on hook (joint dc made), * ch 2, make a joint dc by making dc in same place as last dc, skip 2 ch, dc in next ch. Repeat from * until row measures 56 inches, ending with a joint dc, ch 2, dc in same place as last dc. Join to 3rd ch of starting chain, being careful not to twist. Cut off any remaining chain, leaving 2 chains free. Attach these 2 chains at base of first dc. **2nd rnd:** Ch 5, make a joint dc by making a dc in same place as sl st and in next joint dc, * ch 2, make a joint dc by making dc in same place as last dc and in next joint dc. Repeat from * around, ending with joint dc, ch 2, dc in same place. Join to 3rd ch of starting chain. **3rd rnd:** Ch 3, dc in next joint dc, * ch 2, make a joint dc by making dc in same place as last dc and in next joint dc. Repeat from * around, ending with ch 2, make last joint dc by making dc in same place as last dc and in same place as starting chain, ch 2, sl st in top of ch-3. Repeat last 2 rnds alternately for pattern. Work in pattern for one more rnd. On next rnd dec 3 joint dc evenly around—to dec 1 joint dc, make ch 2, then, holding back on hook the last loop of each dc make dc in same place as last dc and in next 2 joint dc, yarn over and draw through all loops on hook. Work without decreasing for 6 more rnds. Dec 3 joint dc evenly on next rnd, then work one more rnd without decreasing. Join and break off.

MOTIF INSERTION—First Motif . . . Starting at center, ch 8. Join with sl st to form ring. **1st rnd:** 10 sc in ring. Join to first sc. **2nd rnd:** Sc in same place as sl st, * ch 7, sc in next sc. Repeat from * around, ending with ch 3, tr in first sc. **3rd rnd:** * Ch 5, sc in next loop. Repeat from * around. Join and break off.

SECOND MOTIF . . . Work as for First Motif until 2 rnds have been completed. **3rd rnd:** Ch 5, sc in next loop, ch 2, sl st in any loop on First Motif, ch 2, sc in next loop on Second Motif, ch 2, sl st in next loop on First Motif, ch 2, sc in next loop on Second Motif. Complete rnd as for First Motif, no more joinings.

Make 34 more motifs, joining as Second Motif was joined to First Motif, leaving 3 loops free on each side of joining. Join last motif to First Motif.

HEADING . . . Attach yarn to first free loop on any motif, ch 9, * sc in next loop, ch 5, make a joint tr by making tr in next loop and in first loop on next motif, ch 5. Repeat from * around, ending with tr. Join to 4th ch of ch-9. Work Heading along opposite side the same way.

Sew Motif Insertion to last rnd of Skirt. Attach yarn to opposite side of Insertion and work as for first rnd of solid section of Skirt. Dec 6 joint dc evenly on next rnd. Work without decreasing for 4 more rnds. Dec 7 joint dc on next rnd. Work 1 rnd without decreasing. Break off.

SECOND INSERTION ROUND . . . Make 33 motifs and complete as before. Work next solid section same as before, decreasing 5 joint dc on each dec rnd.

THIRD INSERTION ROUND . . . Make 30 motifs and complete as before. Work next solid section same as before, decreasing 5 joint dc on first dec rnd and 4 joint dc on second dec rnd.

FOURTH INSERTION ROUND . . . Make 28 motifs. Complete as before. Work solid section as before, decreasing 7 joint dc on each dec rnd.

FIFTH INSERTION ROUND . . . Make 24 motifs. Complete as before. Work in pattern for solid section until first rnd has been completed. Now work in rows as follows: **1st row:** Work in pattern to end of row, decreasing 3 joint dc evenly across. Ch 3, turn. Continue to work in rows, decreasing 3 sts every other row 6 more times. Work 2 rows without decreasing. Break off at end of last row.

BODICE—Back . . . Starting at waist, make a chain 15 inches long. **1st row:** Work as for solid section of Skirt until row measures $12\frac{1}{2}$ inches. Cut off remaining chain. Ch 5, turn. **2nd row:** Make a joint dc by making dc in first dc and in next joint dc (1 st increased at beginning of row), work in pattern across, ending with dc in top of turning chain, ch 2, dc in same place. Ch 3, turn (1 st increased at end of row). Continue in pattern, increasing 1 st at both ends of every 3rd row 5 more times. Last inc row should measure $16\frac{1}{2}$ inches. Work without increasing until piece measures 7 inches.

To Shape Armholes: 1st row: Sl st to 3rd joint dc, ch 3, work in pattern across to within last 2 joint dc. Ch 3, turn. **2nd row:** Work in pattern across. Repeat last 2 rows once more. Break off.

FRONT . . . Work exactly as for Back.

SLEEVES . . . Starting at lower edge, make a chain 15 inches long. **1st row:** Work as for solid section of Skirt until there are 35 joint dc on row. Cut off remaining chain. Ch 3, turn. Work in pattern until piece measures 4 inches.

To Shape Top: Repeat first 3 rows of armhole shaping. Break off.

Sew side seams of Bodice, leaving 5-inch opening at left side for zipper. Sew sleeve seams. Sew in sleeves. Sew bodice to skirt. Sew in zipper. Make a row of motifs to reach around neck. Work Heading along each side. Sew in place around neck. Attach yarn to back and sc closely around neck, decreasing at each side of front and back. Attach yarn to bottom of skirt and sc closely around. Join and break off.

Block to measurements.

C-249 . . . a classic cardigan, sprinkled with dainty embroidered rosebuds.

Illustrated in color on Front Cover

CHADWICK'S RED HEART ORLON "FASHION YARN," 3 Ply, Art. E.265:
(1 oz. "Tangle-Proof" Pull-Out Skeins):

Sizes (Bust Measurement)	32	34	36	38	40
Skeins	7	8	8	9	10

Clark's O.N.T. Plastic Knitting Pins, 1 pair No. 1 (2½ mm. size) and 1 pair No. 2 (2¾ mm. size).

8 pearl buttons . . . 1¾ yards of ribbon, 1 inch wide . . . Small pearls.

GAUGE: 8 sts make 1 inch; 10 rows make 1 inch.

BLOCKING MEASUREMENTS: See page 31.



SIZES	12	14	16	18	20
-------	----	----	----	----	----

BACK . . . Work as for No. C-259, page 22.

LEFT FRONT . . . Starting at lower edge with No. 1 knitting pins,

cast on	Stitches	68	72	76	80	84
Work in ribbing of p 2, k 2 for	Inches	2½	2½	3	3	3½

Change to No. 2 knitting pins and, keeping border of 8 sts in ribbing, work in stockinette st as for No. C-259 until Left Front has been completed.

With pins mark the position of 8 buttons on Left Front, having the first pinmark ½ inch up from lower edge (the last button is on neckband).

RIGHT FRONT . . . Work as for Left Front, reversing position of button band and shapings and making buttonholes as for No. C-259.

SLEEVES . . . Work as for No. C-259.

NECKBAND . . . Work as for No. C-259.

Block to measurements. Sew side and sleeve seams. Sew in sleeves. Sew ribbon neatly to outside of front bands, cutting buttonholes to match those on garment. Work buttonhole st around buttonholes. Sew on buttons to correspond with buttonholes. Embroider flowers in lazy daisy stitch as illustrated and sew a pearl to center of each flower.



C-250 . . . a simple sweater—at home, in town or country.

Illustrated in color on Front Cover

CHADWICK'S RED HEART ORLON "FASHION YARN," 3 Ply, Art. E.265:
(1 oz. "Tangle-Proof" Pull-Out Skeins):

Sizes (Bust Measurement)	32	34	36	38	40
Skeins	6	7	7	8	9

Clark's O.N.T. Plastic Knitting Pins, 1 pair No. 1 (2½ mm. size) and 1 pair No. 2 (2¾ mm. size).

5 buttons . . . ½ yard grosgrain ribbon, 1 inch wide.

GAUGE: 8 sts make 1 inch; 10 rows make 1 inch.

BLOCKING MEASUREMENTS: See page 31.

SIZES	12	14	16	18	20
-------	----	----	----	----	----

BACK . . . Starting at lower edge with No. 1 knitting pins,

cast on	Stitches	108	116	124	132	140
Work in ribbing of k 1, p 1 for	Inches	2½	2½	3	3	3½

Change to No. 2 knitting pins and work in stockinette st (k 1 row, p 1 row), increasing 1 st at both ends of every 7th row until there are on needle

Stitches	128	136	144	152	160	
Work without increasing until piece measures in all, ending with a purl row . . .	Inches	11½	11½	11¾	12	13

To Shape Armholes and Shoulders: Work as for No. C-259.

FRONT . . . Work exactly as for Back until piece measures in all, ending with a purl row

Inches	11½	11½	11¾	12	13
--------	-----	-----	-----	----	----

Continued on page 9

C-251 . . . a suit to wear with ease—and the knowledge that you look just right!

Illustrated on Page 7

CHADWICK'S RED HEART SOCK & SWEATER YARN, 3 Ply, Art. E.255:

(1 oz. "Tangle-Proof" Pull-Out Skeins):

Sizes (Bust Measurement)	32	34	36	38	40	42
Skeins (Black)	12	13	14	15	16	16

2 skeins of White for all sizes.

Clark's O.N.T. Plastic Knitting Pins, 1 pair No. 2 (2¾ mm. size).

5 buttons . . . 5½ yards of black soutache braid, ¾ inch wide.

GAUGE: 8½ sts make 1 inch; 12 rows make 1 inch.

BLOCKING MEASUREMENTS: See page 31.

JACKET	SIZES	12	14	16	18	20	42
BACK . . . Starting at lower edge with Black cast on	Stitches	132	140	148	156	164	172
Work in stockinette st (k 1 row, p 1 row) for ¾ inch, increasing 10 sts evenly across last row and ending with a knit row. There are on needle	Stitches	142	150	158	166	174	182
Next row (hemline): K across. Now work in pattern as follows: 1st row: K 2, * p 2, k 2. Repeat from * across. 2nd row: P 2, * k 2, p 2. Repeat from * across. 3rd row: Repeat 2nd row. 4th row: Repeat first row. The last 4 rows constitute the pattern. Work in pattern until piece measures 1 inch from hemline. Still working in pattern, dec 1 st at both ends of next row and every	Row	5th	5th	5th	5th	6th	6th
until there remain	Stitches	112	120	126	134	144	152
Work without decreasing until piece measures from hemline	Inches	8	8	8½	8½	9	9
Still working in pattern, inc 1 st at both ends of every 6th row until there are on needle	Stitches	136	144	152	160	170	178
Work without increasing until piece measures from hemline	Inches	15	15	16	16	17	17
To Shape Armholes: Bind off at the beginning of next 2 rows	Stitches	9	9	9	10	10	12
Bind off 2 sts at the beginning of following	Rows	2	2	4	4	4	4
Dec 1 st at both ends of every other row until there remain	Stitches	106	110	114	118	122	126
Work without decreasing until piece measures from first row of armhole shaping	Inches	6½	7	7½	7½	8	8
To Shape Shoulders: Bind off at the beginning of next	Rows	6	8	6	6	8	6
.	Stitches	10	8	8	9	9	10
Bind off at the beginning of next 2 rows	Stitches	—	—	9	8	—	8
Bind off the remaining	Stitches	46	46	48	48	50	50
LEFT FRONT . . . Starting at lower edge with Black cast on	Stitches	70	74	78	82	86	90
Work in stockinette st for ¾ inch, increasing 4 sts evenly across last row and ending with a knit row. There are on needle	Stitches	74	78	82	86	90	94
Next row (hemline): K across. Now work in pattern as for Back until piece measures 1 inch from hemline, ending with an even row. Dec 1 st at the beginning of next row (side edge) and at same edge every	Row	5th	5th	5th	5th	6th	6th
thereafter until there remain	Stitches	59	63	66	70	75	79
Work without decreasing until piece measures from hemline, ending at side edge	Inches	8	8	8½	8½	9	9
Inc 1 st at the beginning of next row and every 6th row thereafter at same edge, until there are on needle	Stitches	71	75	79	83	88	92
Work without increasing until piece measures from hemline, ending at side edge	Inches	15	15	16	16	17	17
To Shape Armhole: Bind off at the beginning of next row	Stitches	9	9	9	10	10	12
Bind off 2 sts at same edge every other row	Times	1	1	2	2	2	2
ending at front edge.							
To Shape Neck Opening: Bind off 21 sts at the beginning of next row. Dec 1 st at neck edge every other row	Times	5	5	6	6	7	7
At the Same Time							
dec 1 st at armhole edge every other row	Times	4	6	6	7	10	10
There remain on needle	Stitches	30	32	33	35	36	38
Work without decreasing until piece measures from first row of armhole shaping, ending at armhole edge	Inches	6½	7	7½	7½	8	8

Continued on page 8

Suit Jacket and
Skirt . . . C-251
Directions for Skirt on Page 8





C-251 Suit Skirt . . . also illustrated on page 7

Directions for Suit Jacket start on Page 6

CHADWICK'S RED HEART SOCK & SWEATER YARN, 3 Ply, Art. E.255:
(1 oz. "Tangle-Proof" Pull-Out Skeins):

Sizes	12	14	16	18	20	42
Skeins	12	14	16	18	20	22

Circular Knitting Needle No. 2 ($2\frac{3}{4}$ mm. size).

Clark's O.N.T. Plastic Crochet Hook No. 2.

Elastic $\frac{1}{2}$ inch wide.

GAUGE: 8 sts make 1 inch; 10 rnds make 1 inch.

BLOCKING MEASUREMENTS:	SIZES	12	14	16	18	20	42
Waist	Inches	27	28½	30	31½	34½	36
Hips	Inches	35	37	39	41	43	45
Width around lower edge	Inches	58½	61¾	65	68¼	74¾	78

Starting at waist, cast on	Stitches	216	228	240	252	276	288
Join, being careful not to twist sts. Work in pattern as follows: 1st rnd:							
* K 6, p 2, k 2, p 2. Repeat from * around. Repeat first rnd until piece							
measures 1 inch. 1st inc rnd: * K 2, inc 1 st in next st, k 3, p 2, k 2, p 2.							
Repeat from * around. There have been increased	Stitches	18	19	20	21	23	24
Work without increasing for 1½ inches. 2nd inc rnd: * K 4, inc 1 st in							
next st, (k 2, p 2) twice. Repeat from * around. Work without increasing							
for 1½ inches. Work in this manner, increasing 1 st in stockinette panel							
every 1½ inches thereafter and being careful that increases do not fall over							
previous increases, until there are on needle	Stitches	468	494	520	546	598	624
Work without increasing until skirt measures desired length (approximately							
29-30 inches). Bind off.							

Block to measurements. With crochet hook and right side facing, work sc closely around lower edge. Join. With wrong side facing, work sl st in each sc around. Join and break off.
CASING . . . With right side of work facing, work a rnd of sc around waist. Break off. With wrong side of work

facing, attach yarn to any st at base of sc rnd, * ch 5, skip $\frac{1}{2}$ inch, sc in next st $\frac{1}{2}$ inch below, ch 5, skip $\frac{1}{2}$ inch, sc in next st at base of sc rnd. Repeat from * around. Join and break off. Run elastic through beading and sew ends neatly together.

C-251 Suit Jacket . . . Continued from page 6

To Shape Shoulder: Bind off at the beginning of next row and every other row	Stitches	10	8	8	9	9	10
On Sizes 16, 18 and 42, work one more row. Bind off remaining sts.	Times	3	4	3	3	4	3

With pins mark the position of 4 buttons on Left Front, having the first pin mark at waistline and the last pin mark 1 inch down from neck opening (the 5th buttonhole is in line with other buttonholes on Dickey).

RIGHT FRONT . . . Work as for Left Front, reversing shapings and making a buttonhole opposite each pin mark—to make a buttonhole 3 sts in from front edge, on one row bind off 3 sts and on the next row cast on 3 sts to replace those bound off.

SLEEVES . . . Starting at lower edge with Black cast on	Stitches	64	68	72	76	80	84
Work in stockinette st for $\frac{3}{4}$ inch, increasing 6 sts evenly across last row							
and ending with a k row. There are on needle	Stitches	70	74	78	82	86	90
Next row (hemline): K across. Now work in pattern as for Back, increasing							
1 st at both ends of every 11th row until there are on needle	Stitches	102	106	110	114	118	122
Work without increasing until piece measures from hemline	Inches	17	17½	18	18	18½	18½
To Shape Top: Bind off at the beginning of next 2 rows	Stitches	9	9	9	10	10	12
Bind off 2 sts at the beginning of following	Rows	2	2	4	4	4	4
Dec 1 st at both ends of every 4th row	Times	6	7	9	8	9	9
Dec 1 st at both ends of every other row until 44 sts remain. Bind off 2 sts							
at the beginning of next 10 rows. Bind off remaining 24 sts.							

Continued on page 9

POCKET (Make 2) . . . Starting at lower edge of pocket flap with Black, cast on 22 sts. Work in pattern as for Back, increasing 1 st at both ends of every other row until there are 50 sts on needle. Work in pattern without increasing until piece measures $5\frac{1}{4}$ inches from last inc row. Bind off in pattern.

CUFF (Make 2) . . . Starting at inner edge of cuff with White, cast on. **Stitches** 78 82 86 90 94 98
Work in pattern for $1\frac{3}{4}$ inches. Bind off in pattern.

DICKEY—Left Side . . . Starting at lower edge with White, cast on 38 sts. Work in pattern until piece measures in all **Inches** 7 $7\frac{1}{2}$ 8 8 $8\frac{1}{2}$ $8\frac{1}{2}$

To Shape Shoulder: Bind off 12 sts at the beginning of next row. Work over the remaining 26 sts until piece is long enough to reach to center back of neck. Bind off. Mark the position of 5th buttonhole on Left Side to correspond with other buttonholes.

RIGHT SIDE . . . Work as for Left Side, making a buttonhole opposite pin mark.

Block to measurements. Sew side, shoulder and sleeve seams. Turn under all hems. Sew soutache braid to outer edges of Jacket. Turn back flaps at pockets and sew braid to outer edges of flaps. Sew pockets in place. Sew braid to bound-off edges of cuffs. Sew cuffs with cast-on edge to lower edge of sleeves. Sew bound-off edges of dickey together, thus forming a collar. Sew braid to outer edges of dickey and stitch dickey in place. Sew on buttons to correspond with buttonholes.

C-250 Sweater . . . Continued from page 5

To Shape Armholes: Bind off at the beginning of next 2 rows **Stitches** 9 9 9 10 10
Bind off at the beginning of following **Rows** — 2 2 2 4
Stitches — 2 2 2 2

To Shape Neck Opening: K 2 tog (armhole), k across next **Stitches** 49 51 55 58 60
cast on 8 sts for left front band. Turn and work as follows over these **Stitches** 58 60 64 67 69

1st row (wrong side of work): K 8, p across. **2nd row:** K 2 tog, k across. Work in this manner, keeping the 8 sts of front band in garter st (k each row) and decreasing 1 st at armhole edge until there remain **Stitches** 54 56 58 60 62
Work without decreasing until piece measures from first row of armhole shaping, ending at front edge **Inches** 4 $4\frac{1}{2}$ $4\frac{1}{2}$ $4\frac{1}{2}$ $4\frac{1}{2}$

To Shape Neck: Work in pattern over the first 8 sts, slip these 8 sts just worked onto a stitch holder, bind off next 12 sts and purl across. Continue to work in stockinette st, decreasing 1 st at neck edge every other row until there remain **Stitches** 29 31 32 34 34
Work without decreasing until piece measures from first row of armhole shaping, ending at armhole edge **Inches** $6\frac{1}{2}$ 7 $7\frac{1}{2}$ $7\frac{1}{2}$ 8

To Shape Shoulder: Bind off **Stitches** 9 10 8 8 8
at the beginning of next row and every other row **Times** 2 2 4 3 3
Work one more row. Bind off remaining **Stitches** 11 11 — 10 10

With pins mark the position of 4 buttons on Left Front Band, having the first pin mark $\frac{1}{2}$ inch up from where sts were divided (the 5th button is on neckband).

Attach yarn to opposite side of neck opening and work Right Front as follows: **1st row:** K across to last 2 sts, k 2 tog. **2nd row:** P across to last 8 sts, k 8. Now work to correspond with other side, reversing shapings and making a buttonhole 3 sts in from front edge opposite each pin mark—to make a buttonhole, on one row bind off 2 sts and on the next row cast on 2 sts to replace those bound off.

NECKBAND . . . Sew shoulder seams. With wrong side facing and No. 1 knitting pins, attach yarn to 8 sts of Right Front Band and k across these 8 sts. Turn. **Next row:** K across the 8 sts of Front Band, with same needle pick up and k around entire neck edge to within 8 sts of Left Front Band including sts on stitch holder **Stitches** 99 103 111 119 127
k across the 8 sts of Left Front Band. There are on needle **Stitches** 115 119 127 135 143
Now work as follows: **1st row:** K 8, * p 1, k 1. Repeat from * to last 9 sts, p 1, k 8. **2nd row:** K 8, * k 1, p 1. Repeat from * to last 9 sts, k 9. Work in this manner until piece measures 1 inch, making a buttonhole in line with previous buttonholes when piece measures $\frac{1}{2}$ inch. Bind off loosely, matching the ribbing.

SLEEVES . . . Starting at cuff edge with No. 1 knitting pins, cast on **Stitches** 84 88 92 96 100

Work in ribbing of k 1, p 1 for 2 inches. Change to No. 2 knitting pins and, working in stockinette st, complete as for Short Sleeves **No. C-259**.

Block to measurements. Sew side and sleeve seams. Sew in sleeves. Sew ribbon to outside of front bands, cutting buttonholes to match those on garment. Work buttonhole st around buttonholes. Sew on buttons to correspond with buttonholes.



Casual Cables... for Him and Her

No need to fear those brisk breezes when you are snug in these Smart Sweaters.

C-252 Man's Cable Sweater

CHADWICK'S RED HEART KNITTING WORSTED, 4 Ply, Art. E.232: (1 oz. "Tangle-Proof" Pull-Out Skeins):

Sizes (Chest Measurement)							
30	32	34	36	38	40	42	44
Skeins							
13	15	17	19	21	24	27	30

Clark's O.N.T. Plastic Knitting Pins, 1 pair No. 2 ($2\frac{3}{4}$ mm. size) and 1 pair No. 4 ($3\frac{1}{2}$ mm. size).

Clark's O.N.T. Plastic Double-pointed Sock Needles, 1 set No. 2 ($2\frac{3}{4}$ mm. size).

GAUGE: 6 sts make 1 inch; 8 rows make 1 inch.

BLOCKING MEASUREMENTS: See page 31.

Directions are given for Size 10. Changes for Sizes 12, 14, 16, 18, 20, 42 and 44 are in parentheses.

BACK . . . Starting at lower edge with No. 2 knitting pins, cast on 88 (96, 104, 108, 112, 120, 124, 132) sts. Work in ribbing of k 2, p 2 for $2\frac{1}{2}$ ($2\frac{1}{2}$, 3, 3, $3\frac{1}{2}$, $3\frac{1}{2}$, $3\frac{1}{2}$, 4) inches. On Sizes 12, 16, 20 and 44 dec 1 st at the end of row. On Sizes 10, 14, 18 and 42 inc 1 st at the end of row. Change to No. 4 knitting pins and work in pattern as follows: **1st row:** Knit 3 (6, 0, 0, 2, 5, 8, 0) sts, purl 2 (2, 0, 1, 2, 2, 2, 0) sts, * k 1, p 2, k 8, p 2. Repeat from * 5 (5, 7, 7, 7, 7, 7, 9) more times; k 1 st, purl 2 (2, 0, 1, 2, 2, 2, 0) sts, knit 3 (6, 0, 0, 2, 5, 8, 0) sts. **2nd row:** Purl 3 (6, 0, 0, 2, 5, 8, 0) sts, knit 2 (2, 0, 1, 2, 2, 2, 0) sts, * p 1, k 2, p 8, k 2. Repeat from * 5 (5, 7, 7, 7, 7, 9) more times; p 1 st, knit 2 (2, 0, 1, 2, 2, 2, 0) sts, purl 3 (6, 0, 0, 2, 5, 8, 0) sts. **3rd to 6th rows incl:** Repeat first and 2nd rows alternately. **7th row:** Make a cable over next 8 sts **on Size 42 only**—to make a cable, slip next 4 sts onto a double-pointed needle and place in front of work, k next 4 sts, k the 4 sts from double-pointed needle—On all Sizes knit 3 (6, 0, 0, 2, 5, 0, 0) sts, purl 2 (2, 0, 1, 2, 2, 2, 0) sts, * k 1, p 2, make a cable over the next 8 sts, p 2. Repeat from * 5 (5, 7, 7, 7, 7, 9) more times; k 1 st, purl 2 (2, 0, 1, 2, 2, 2, 0) sts, knit 3 (6, 0, 0, 2, 5, 0, 0) sts. **On Size 42 only** make a cable over the next 8 sts. **8th row:** Repeat 2nd row. **9th to 18th rows incl:** Repeat first and 2nd rows alternately. **19th row:** Repeat 7th row. **20th row:** Repeat 2nd row. The last 18 rows (3rd to 20th rows incl) constitute the pattern. Work in pattern until piece measures in all $11\frac{1}{2}$ ($12\frac{1}{2}$, $12\frac{1}{2}$, 15, $15\frac{1}{2}$, 16, 16, $16\frac{1}{2}$) inches.

To Shape Armholes: Bind off at the beginning of next 2 rows 5 (6, 6, 6, 7, 7, 8) sts. Dec 1 st at both ends of next row and every other row until there remain 73 (77, 85, 85, 89, 93, 97, 101) sts. Work without decreasing until piece measures from first row of armhole shaping 7 ($7\frac{1}{2}$, 8, 9, 9, $9\frac{1}{2}$, $9\frac{1}{2}$, $9\frac{1}{2}$) inches.

To Shape Shoulders: Bind off at the beginning of next 4 (6, 6, 6, 8, 8, 8) rows, 7 (8, 9, 9, 7, 7, 8, 8) sts. Bind off at the beginning of next 2 rows 8 (0, 0, 0, 0, 9, 7, 0)

sts. Place the remaining sts on a stitch holder to be worked later for Turtle Neck.

FRONT . . . Work exactly as for Back until piece measures from first row of armhole shaping, ending with an even row $5\frac{1}{2}$ ($5\frac{1}{2}$, 6, $6\frac{1}{2}$, $6\frac{1}{2}$, $6\frac{1}{2}$, $6\frac{1}{2}$) inches.

To Shape Neck: Work in pattern across first 46 (48, 53, 53, 56, 58, 61, 64) sts. Place the last 19 (19, 21, 21, 23, 23, 25, 27) sts just worked on a stitch holder to be worked later for Turtle Neck, work in pattern across last 27 (29, 32, 32, 33, 35, 36, 37) sts.

Turn and work in pattern over the last set of sts only, decreasing 1 st at neck edge every other row until there remain 22 (24, 27, 27, 28, 30, 31, 32) sts. Work without decreasing until piece measures from first row of armhole shaping, ending at armhole edge 7 ($7\frac{1}{2}$, 8, 9, 9, $9\frac{1}{2}$, $9\frac{1}{2}$, $9\frac{1}{2}$) inches.

To Shape Shoulder: Bind off at the beginning of next row and every other row 7 (8, 9, 9, 7, 7, 8, 8) sts, 2 (3, 3, 3, 4, 3, 3, 4) times. On Sizes 10, 20 and 42, work one more row. Bind off the remaining sts. Attach yarn to opposite side of neck edge and work to correspond with other side, reversing shapings.

SLEEVES . . . Starting at lower edge with No. 2 knitting pins, cast on 52 (52, 52, 64, 64, 76, 76, 76) sts. Work in ribbing of k 2, p 2 for $2\frac{1}{2}$ ($2\frac{1}{2}$, $2\frac{1}{2}$, 3, 3, 3, $3\frac{1}{2}$, $3\frac{1}{2}$) inches. On Sizes 10, 12 and 14 inc 1 st at the end of last row; on Sizes 16 and 18 inc 1 st at both ends of last row; on Sizes 20, 42 and 44 inc 3 sts evenly across last row. Change to No. 4 knitting pins and work in cable pattern as follows: **1st row:** * K 1, p 2, k 8, p 2. Repeat from * across to last st, k 1. Work in cable pattern as established, increasing 1 st at both ends of every 8th row until there are on needle 75 (77, 81, 88, 92, 95, 99, 103) sts. Work without increasing until piece measures in all 16 (18, 19, 20, 21, 21, 21, 21) inches.

To Shape Top: Bind off at the beginning of next 2 rows 5 (6, 6, 6, 7, 7, 8) sts. Bind off at beginning of following 0 (0, 2, 2, 2, 4, 4, 4) rows, 0 (0, 2, 2, 2, 2, 2, 2) sts. Dec 1 st at both ends of every 6th row 0 (0, 5, 0, 0, 5, 0, 0) times. Dec 1 st at both ends of every 5th row 4 (6, 0, 8, 4, 2, 4, 0) times. Dec 1 st at both ends of every 4th row 2 (0, 0, 0, 5, 0, 5, 10) times. Dec 1 st at both ends of every row until there remain 33 (33, 35, 36, 36, 39, 39, 39) sts. Bind off 5 sts at the beginning of next 4 rows. Bind off remaining sts.

TURTLE NECK . . . Sew shoulder seams. With double-pointed sock needles and right side facing, pick up and knit around entire neck edge, including sts on both stitch holders 72 (80, 88, 88, 96, 100, 104, 112) sts. Divide sts among 3 needles and work in ribbing of k 2, p 2 for 4 (5, 5, 5, 5, 6, 6, 6) inches. Bind off loosely in ribbing.

Block to measurements. Sew up side and sleeve seams. Sew in sleeves.

Directions for Woman's Cable Sweater on Page 13
Directions for Woman's Cable Socks on Page 30





C-255 . . . an evening cardigan for informal parties

Illustrated in color on Back Cover

CHADWICK'S RED HEART ORLON "FASHION YARN," 3 Ply, Art. E.265:

(1 oz. "Tangle-Proof" Pull-Out Skeins):

Sizes (Bust Measurement)	32	34	36	38	40
Skeins	7	8	8	9	10

Clark's O.N.T. Plastic Knitting Pins, 1 pair No. 1 (2½ mm. size) and 1 pair No. 2 (2¾ mm. size).

8 buttons.

GAUGE: 8 sts make 1 inch; 10 rows make 1 inch.

BLOCKING MEASUREMENTS: See page 31.

	SIZES	12	14	16	18	20
BACK . . . Starting at lower edge with No. 1 knitting pins, cast on	Stitches	128	136	144	152	160
Work in ribbing of k 1, p 1 for	Inches	7	7	7¼	7½	8
Change to No. 2 knitting pins and work in stockinette st (k 1 row, p 1 row) until piece measures in all	Inches	11½	11½	11¾	12	13

To Shape Armholes: Work as for No. C-259.

To Shape Shoulders: Work as for No. C-259, binding off for back of neck the remaining	Stitches	42	42	44	44	48
--	-----------------	----	----	----	----	----

LEFT FRONT . . . Starting at lower edge with No. 1 knitting pins, cast on	Stitches	69	73	77	81	85
Work as follows: 1st row: * K 1, p 1. Repeat from * across to last 9 sts, k 9 (front band). 2nd row: P 9, * k 1, p 1. Repeat from * across. Repeat the last 2 rows until piece measures, ending with the 2nd row	Inches	7	7	7¼	7½	8
Change to No. 2 knitting pins and work in stockinette st until piece measures in all, ending at front edge	Inches	9½	9½	9¾	10	11

To Shape V Neck: Dec 1 st at front edge on next row and every 3rd row thereafter until piece measures in all, ending at side edge	Inches	11½	11½	11¾	12	13
--	---------------	-----	-----	-----	----	----

To Shape Armhole: Still decreasing 1 st at front edge every 3rd row thereafter, bind off at beginning of next row	Stitches	9	9	9	10	10
Bind off at armhole edge every other row	Stitches	—	2	2	2	2
Dec 1 st at armhole edge every other row	Times	—	1	1	1	2
Dec 1 st at armhole edge every other row	Times	5	5	7	8	8
Continue to decrease 1 st at neck edge as before every 3rd row until there remain	Stitches	31	37	39	44	43
Now dec 1 st at neck edge every 4th row until there remain	Stitches	29	31	32	34	34
Work without decreasing until piece measures from first row of armhole shaping ending at armhole edge	Inches	6½	7	7½	7½	8

To Shape Shoulder: Work as for No. C-259.

With pins mark the position of 8 buttons on Left Front, having the first button ½ inch up from lower edge and the last button ½ inch down from first decrease at neck edge.

RIGHT FRONT . . . Work as for Left Front, reversing position of front band, shapings and making a buttonhole opposite each pin mark—to make a buttonhole, 3 sts in from front edge, on one row bind off 3 sts, and on next row cast on 3 sts to replace those bound off.

SLEEVES . . . Starting at lower edge with No. 2 knitting pins, cast on	Stitches	80	84	88	92	96
Work in stockinette st for 7 rows. Next row (wrong side of work): K across (hemline). Continue in stockinette st, increasing 1 st at both ends of every 8th row until there are on needle	Stitches	96	100	104	108	112
Work without increasing until piece measures from hemline, ending with a purl row	Inches	12	13	13½	14	14½

To Shape Top: Work as for No. C-259.

RIGHT FRONT FACING . . . Starting at lower edge with No. 1 knitting pins, cast on 9 sts. Work in stockinette st—making buttonholes to match buttonholes on Right Front Band—until piece reaches to first decrease at neck edge, ending with a purl row. **Next row:** Inc 1 st in first st, k 6, k 2 tog. **Following row:** P across. Repeat last 2 rows until piece is long enough to reach to center back of neck. Bind off.

Continued on page 13

C-253...

Woman's Cable Sweater

Illustrated on Page 11

CHADWICK'S RED HEART KNITTING WORSTED, 4 Ply, Art. E.232: (1 oz. "Tangle-Proof" Pull-Out Skeins):

Sizes (Bust Measurement)	30	32	34	36	38
Skeins	26	28	30	33	36

Clark's O.N.T. Plastic Knitting Pins, 1 pair No. 6 (4¼ mm. size) and 1 pair No. 8 (5 mm. size).

Clark's O.N.T. Plastic Crochet Hook No. 8.

A Crown Light-Weight Separating Zipper, Style F.3.

Use yarn double throughout.

GAUGE: 4½ sts make 1 inch; 6 rows make 1 inch.

BLOCKING MEASUREMENTS: See page 31.

Directions are given for Size 10. Changes for Sizes 12, 14, 16 and 18 are in parentheses.

BACK . . . Starting at lower edge with double yarn and No. 6 knitting pins, cast on 66 (70, 74, 82, 86) sts. Work in ribbing of k 2, p 2 as follows: **1st row:** K 2, * p 2, k 2. Repeat from * across. **2nd row:** P 2, * k 2, p 2. Repeat from * across. Work in ribbing as established until piece measures in all 2½ (2½, 3, 3, 3½) inches. **On Sizes 10, 12 and 14:** Inc 1 st at both ends of last row. Change to No. 8 knitting pins and work in pattern as follows: **1st row:** Purl 13 (15, 1, 4, 6) sts, * k 10, p 6. Repeat from * to last 23 (25, 11, 14, 16) sts, k 10, purl 13 (15, 1, 4, 6) sts. **2nd row:** Knit 13 (15, 1, 4, 6) sts, * p 10, k 6. Repeat from * to last 23 (25, 11, 14, 16) sts, p 10, knit 13 (15, 1, 4, 6) sts. **3rd row:** Purl 13 (15, 1, 4, 6) sts, * make a cable over the next 10 sts—to make a cable, slip next 2 sts onto a double-pointed needle and place in front of work, knit next 3 sts, knit the 2 sts from double-pointed needle, slip next 3 sts onto a double-pointed needle and place in back of work, knit next 2 sts, knit the 3 sts from double-pointed needle—p 6. Repeat from * to last 23 (25, 11, 14, 16) sts, make a cable over the next 10 sts, purl 13 (15, 1, 4, 6) sts. **4th row:** Repeat 2nd row. **5th to 14th rows incl:** Repeat first and 2nd rows alternately. **15th row:** Purl 13 (15, 1, 4, 6) sts, * make a cable over the next 10 sts—to make a cable, slip next 3 sts onto a double-pointed needle and place in back of work, knit next 2 sts, knit the 3 sts from double-pointed needle, slip next 2 sts onto a double-pointed needle and place in front of work, knit next 3 sts, knit the 2 sts from double-pointed needle—p 6. Repeat from * to last 23 (25, 11, 14, 16) sts, make a cable over the next 10 sts, purl 13 (15, 1, 4, 6) sts. **16th row:** Knit 13 (15, 1, 4, 6) sts, * p 2, (k 1, p 1) 3 times; p 2, k 6. Repeat from * to last 23 (25, 11, 14, 16) sts, p 2, (k 1, p 1) 3 times; p 2, knit 13 (15, 1, 4, 6) sts. **17th row:** Purl 13 (15, 1, 4, 6) sts, * k 2, (p 1, k 1) 3 times; k 2, p 6. Repeat from * to last 23 (25, 11, 14, 16) sts, k 2, (p 1, k 1) 3 times; k 2, purl 13 (15, 1, 4, 6) sts. **18th to 25th rows incl:** Repeat 16th and 17th rows alternately. **26th row:** Repeat 16th row. The last 24 rows (3rd to 26th rows incl) constitute the pattern. Work in pattern until piece measures in all, ending with an even row 12 (12½, 13, 13½, 14) inches. Place a marker at both ends of row (to indicate start of armhole). Continue to work in pattern until piece measures from marker 6½ (7, 7½, 8, 8) inches.

To Shape Shoulders: Bind off 8 (8, 6, 7, 7) sts at the beginning of next 4 (4, 8, 6, 8) rows. Bind off 6 (7, 0, 5, 0) sts at the beginning of next 2 (2, 0, 2, 0) rows. Place on a stitch holder the remaining 24 (26, 28, 30, 30) sts.

LEFT FRONT . . . Starting at lower edge with No. 6 knitting pins and double yarn, cast on 40 (42, 44, 46, 48) sts. Work in ribbing of k 2, p 2 as follows: **1st row:** Purl 0 (2, 0, 2, 0) sts, * k 2, p 2. Repeat from * across. **2nd row:** * K 2, p 2. Repeat from * across; **On Sizes 12 and 16 only:** K 2. Work in ribbing as established until piece measures in all, ending with 2nd row 2½ (2½, 3, 3, 3½) inches; **On Sizes 16 and 18 only:** Inc 1 st at end of last row. Change to No. 8 knitting pins and work in pattern as follows: **1st row:** Purl 13 (15, 1, 4, 6) sts, (k 10, p 6) 1 (1, 2, 2, 2) times; k 10, p 1. **2nd row:** K 1, p 10, (k 6, p 10) 1 (1, 2, 2, 2) times; knit 13 (15, 1, 4, 6) sts. Work in cable pattern as established until piece measures in all, ending with an even row 12 (12½, 13, 13½, 14) inches. Place a marker at the beginning of row and continue to work in pattern until piece measures from marker, ending at front edge 4 (4½, 5, 5, 5) inches.

To Shape Neck: Bind off 13 (14, 15, 15, 15) sts at the beginning of next row. Dec 1 st at same edge every other row until there remain 22 (23, 24, 26, 28) sts. Work without decreasing until piece measures from marker 6½ (7, 7½, 8, 8) inches, ending at side edge.

To Shape Shoulder: Bind off 8 (8, 6, 7, 7) sts at the beginning of next row and every other row 2 (2, 4, 3, 4) times; **On Sizes 10, 12 and 16 only:** Work one more row. Bind off remaining sts.

RIGHT FRONT . . . Work to correspond with Left Front, reversing ribbing, cable pattern and shapings.

SLEEVES . . . Starting at lower edge with No. 6 knitting pins and double yarn, cast on 40 (40, 40, 44, 48) sts. Work in ribbing of k 2, p 2 for 3 inches; **On Sizes 10, 12 and 14 only:** Inc 1 st at both ends of last row. Change to No. 8 knitting pins and work in pattern as follows: **1st row:** Purl 0 (0, 0, 1, 3) sts, (k 10, p 6) twice; k 10, purl 0 (0, 0, 1, 3) sts. **2nd row:** Knit 0 (0, 0, 1, 3) sts, (p 10, k 6) twice; p 10, knit 0 (0, 0, 1, 3) sts. Work in cable pattern as established, increasing 1 st at both ends of every 8th row until there are on needle 56 (58, 62, 66, 68) sts. Work in pattern without increasing until piece measures in all 18 (19, 20, 20, 20½) inches. Bind off loosely.

NECKBAND . . . Sew shoulder seams. With right side of work facing, double yarn and No. 6 knitting pins, pick up and knit around entire neck edge, including sts on stitch holder 62 (62, 66, 70, 74) sts. Work in ribbing as for Back for 1 inch. Bind off in ribbing.

Block to measurements. Sew up side and sleeve seams. Sew in sleeves. Make a row of sc along front edges. Sew in zipper.

C-255 . . . Continued from page 12

LEFT FRONT FACING . . . Work as for Right Front Facing, omitting buttonholes and reversing shapings (making the decrease at beginning and the increase at end of every knit row).

Block to measurements. Sew side, shoulder and sleeve seams. Sew in sleeves. Sew facings in place, matching buttonholes. Sew short ends of facing together. Turn under hem at sleeve edge and stitch in place. Work buttonhole st around buttonholes. Sew on buttons to correspond with buttonholes.

The Bulky Look . . . fashion's newest favor

Quick-knit in Chadwick's Red Heart Knitting Worsted, this waist hugging jacket is worth its weight in gold to your wardrobe!

C-256 Short Sweater

CHADWICK'S RED HEART KNITTING WORSTED, 4 Ply, Art. E.232:

(1 oz. "Tangle-Proof" Pull-Out Skeins):

Sizes (Bust Measurement)	32	34	36	38	40
Skeins	13	16	19	22	25

Clark's O.N.T. Plastic Knitting Pins, 1 pair No. 2 (2¾ mm. size) and 1 pair No. 4 (3½ mm. size).

Clark's O.N.T. Plastic Crochet Hook No. 4.

5 buttons.

Elastic 1 inch wide.

GAUGE: 5½ sts make 1 inch; 7 rows make 1 inch.

BLOCKING MEASUREMENTS: See page 31.

	SIZES	12	14	16	18	20
BACK . . . Starting at lower edge with No. 2 knitting pins, cast on Stitches	79	85	91	97	103	
Work in stockinette st (k 1 row, p 1 row) until piece measures 1 inch, ending with a knit row. Next row (hemline): K across. Now continue to work in stockinette st until piece measures 1 inch from hemline, ending with a purl row. Change to No. 4 knitting pins and work in pattern as follows: 1st row: * K 1, k the second st on left-hand needle, but do not slip st off needle, k the first st on left-hand needle and slip both sts off needle. Repeat from * across to last st, k 1. 2nd row: P across. The last 2 rows constitute the pattern. Work in pattern, increasing 1 st at both ends of every 10th row until there are on needle Stitches	87	93	99	105	111	
Work without increasing until piece measures from hemline Inches	9	9	9½	10	10½	
To Shape Armholes: Bind off at the beginning of next 2 rows Stitches	3	3	3	4	4	
Work without decreasing over remaining Stitches	81	87	93	97	103	
until piece measures from first row of armhole shaping, ending with a purl row. . Inches	7	7½	8	8	8½	
To Shape Shoulders: Bind off at beginning of next Rows	6	6	4	6	4	
. Stitches	10	11	11	12	12	
Bind off at the beginning of following Rows	—	—	2	—	2	
. Stitches	—	—	12	—	13	
Bind off the remaining Stitches	21	21	25	25	29	
LEFT FRONT . . . Starting at lower edge with No. 2 knitting pins, cast on . . . Stitches	44	47	50	53	56	
Work in stockinette st for 1 inch, ending with a knit row.						
Next row (hemline): Knit across. Continue to work in stockinette st until piece measures 1 inch from hemline, ending with a purl row. Change to No. 4 knitting pins and work in pattern as follows: 1st row: * K 1, knit the second st on left-hand needle, do not slip st off needle, knit the first st on left-hand needle and slip both sts off needle. Repeat from * to last 5 sts, k 4, sl 1, cast on 4 sts for facing. 2nd row: P across. Work in pattern as established, increasing 1 st at side edge every 10th row until there are on needle Stitches	52	55	58	61	64	
Work without increasing until piece measures from hemline, ending at side edge Inches	9	9	9½	10	10½	
To Shape Armhole: Bind off at the beginning of next row Stitches	3	3	3	4	4	
Work without decreasing on remaining Stitches	49	52	55	57	60	
until piece measures from first row of armhole shaping, ending at front edge. . Inches	5	5½	5½	5½	5½	
To Shape Neck: Bind off 15 sts at the beginning of next row. Dec 1 st at neck edge on every other row until there remain Stitches	30	33	34	36	37	
Work without decreasing until piece measures from first row of armhole shaping, ending at side edge Inches	7	7½	8	8	8½	
To Shape Shoulder: Bind off at the beginning of next row and every other row Stitches	10	11	11	12	12	
. Times	3	3	2	3	2	
On Sizes 16 and 20 only, work one more row. Bind off remaining sts.						
With pins mark the position of 5 buttons on Left Front, waistband) and last pinmark ½ inch down from neck edge, having the first pinmark ½ inch up from hemline (center of						

Continued on page 15



C-256 . . . Continued from page 14


RIGHT FRONT . . . Work as for Left Front, reversing position of buttonband and shapings and making a set of buttonholes opposite each pinmark. Make a set of buttonholes as follows: **1st row:** With right side of work facing, k 1, bind

off 2 sts, k 1, sl 1, k 1, bind off 2 sts, k 1, work in pattern to end of row. **2nd row:** P across, casting on 2 sts to replace each set of 2 sts bound off.

SLEEVES . . . Starting at cuff edge with No. 4 knitting pins, cast on	Stitches	73	76	79	82	85
Work in pattern as for Back until piece measures in all	Inches	3	3	3½	3½	3¾
ending with a purl row. Next row (right side of work): P across (hemline). Work is now reversed. Starting with first pattern row, work in pattern until piece measures from hemline	Inches	5	5½	6	6	6¾
To Shape Top: Bind off at the beginning of next 2 rows	Stitches	3	3	3	4	4
Dec 1 st at both ends of every 4th row until there remain	Stitches	59	62	63	66	69
Dec 1 st at both ends of every other row until there remain	Stitches	—	58	59	58	59
Bind off 2 sts at the beginning of next 12 rows. Bind off remaining	Stitches	35	34	35	34	35
COLLAR . . . Starting at neck edge with No. 4 knitting pins, cast on	Stitches	70	70	79	79	86
Work in stockinette st for 4 rows. Next row: K the first	Stitches	3	3	4	4	4
inc 1 st in next st, * k 6, inc 1 st in next st. Repeat from * across, ending with k	Stitches	3	3	4	4	4
There are on needle	Stitches	80	80	90	90	98
Work without increasing until piece measures 1 inch in all. Now dec 1 st at both ends of every other row 4 times. Bind off 2 sts at beginning of the next 4 rows. Bind off the remaining	Stitches	64	64	74	74	82

Block to measurements. Sew side, shoulder and sleeve seams. Sew in sleeves. Turn under hem and stitch in place to form casing. Turn facing to wrong side and stitch in place. With crochet hook work a row of sc around outer edge of collar and cuff edges of sleeves. Turn under sc row and stitch in

place. Sew collar in place, leaving ½ inch free at each front edge. Work buttonhole st around buttonholes. Sew on buttons to correspond with buttonholes. Turn back cuff of sleeve. Draw elastic through casing and stitch ends in place.



C-260 . . . Directions on Page 26

C-257 . . . Directions on Page 18



C-258, 
Directions—Page 19

Made with
ORLON*
... the wonder yarn!

Chadwick's Red Heart Orlon
 "Fashion Yarn" and "Fashion-Glo"

*Du Pont's acrylic fiber



C-259 . . . Directions on Page 22



C-261 . . . Directions on Page 26



C-262 . . . Directions on Page 26





C-257 Ribbon Trim Blouse

Illustrated in color on Page 16

CHADWICK'S RED HEART ORLON "FASHION-GLO," 3 Ply, Art. E.265-M:
(1 oz. "Tangle-Proof" Pull-Out Skeins):

Sizes (Bust Measurement)	30	32	34	36	38	40
Skeins	7	7	8	9	9	10

Clark's O.N.T. Plastic Knitting Pins, 1 pair No. 1 (2½ mm. size) and 1 pair No. 2 (2¾ mm. size).

2 yards of velvet ribbon, ½ inch wide.

GAUGE: 8 sts make 1 inch; 10 rows make 1 inch.

BLOCKING MEASUREMENTS: See page 31.

	SIZES	10	12	14	16	18	20
BACK . . . Starting at lower edge with No. 1 knitting pins, cast on . . .	Stitches	104	112	120	128	136	144
Work in ribbing of k 1, p 1 for	Inches	2½	3	3	3	3½	3½
Change to No. 2 knitting pins and work in stockinette st (k 1 row, p 1 row), increasing 1 st at both ends of every	Row	8th	8th	8th	9th	9th	10th
until there are on needle	Stitches	120	128	136	144	152	160
If necessary, work without increasing until piece measures in all, ending with a p row	Inches	9	9½	9½	10	10½	11½
To Shape Dolman Sleeves: Cast on at the beginning of next 16 rows . . .	Stitches	8	9	9	10	11	12
Cast on at the beginning of following 4 rows	Stitches	12	10	14	12	10	8
There are on needle	Stitches	296	312	336	352	368	384
Place a marker and work without increasing until piece measures from marker, ending with a purl row	Inches	2¾	3	3¼	3½	3¾	4¼
To Shape Neck: K across first	Stitches	136	144	156	164	171	179
bind off the next	Stitches	24	24	24	24	26	26
k across the remaining	Stitches	136	144	156	164	171	179
Turn and p across the last set of sts. Still working in stockinette st over this set of sts only, bind off at the beginning of next row (neck edge) and every other row	Stitches	7	9	9	9	7	7
.	Times	2	2	2	2	3	3
Bind off at same edge every other row	Stitches	4	4	4	4	3	3
.	Times	2	2	4	4	4	6
Bind off 2 sts at same edge every other row	Times	6	7	5	5	11	10
Now dec 1 st at neck edge every other row	Times	10	8	8	8	—	—
At the Same Time							
when piece measures from marker, ending at sleeve edge	Inches	4¼	4½	4¾	5	5¼	5¾
shape top of sleeve as follows: Bind off at the beginning of next row and every other row 8 times in all	Stitches	8	9	9	10	11	12
Bind off at same edge at the beginning of following row and every other row twice in all	Stitches	12	10	14	12	10	8
Work one more row. Bind off for shoulder the remaining	Stitches	4	4	4	8	8	8
Attach yarn to opposite side of neck edge and work to correspond, reversing shapings.							

FRONT . . . Work exactly as for Back.

BACK NECKBAND . . . With right side of work facing and No. 1 knitting pins, pick up and knit along neck edge	Stitches	144	152	160	168	176	184
Work beading as follows: Next row (wrong side of work): P 2, * p 2 tog, O, p 6. Repeat from * to last 6 sts, p 2 tog, O, p 4. Now work in ribbing of k 1, p 1 for 1½ inches. Bind off tightly in ribbing.							

FRONT NECKBAND . . . Work exactly as for Back Neckband.

CUFF . . . Sew shoulder and top seams of sleeves, including short ends of neckbands. With right side of work facing and No. 1 knitting pins, pick up and knit along cuff edge of sleeve	Stitches	64	68	72	76	80	84
Work in ribbing of k 1, p 1 for 1½ inches. Bind off loosely in ribbing.							

Block to measurements. Sew side and sleeve seams in one continuous seam. Draw ribbon through beading and tie into a bow at front.



C-258 Scoop Neck Blouse

Illustrated in color on Page 16

CHADWICK'S RED HEART ORLON "FASHION-GLO," 3 Ply, Art. E.265-M:

(1 oz. "Tangle-Proof" Pull-Out Skeins):

Sizes (Bust Measurement)	32	34	36	38	40
Skeins	6	7	7	8	9

Clark's O.N.T. Plastic Knitting Pins, 1 pair No. 2 ($2\frac{3}{4}$ mm. size).

Circular Knitting Needle No. 2 ($2\frac{3}{4}$ mm. size).

7 small and 8 large rhinestone buttons.

GAUGE: 8 sts make 1 inch; 10 rows make 1 inch.

BLOCKING MEASUREMENTS: See page 31.

	SIZES	12	14	16	18	20
FRONT . . . Starting at lower edge, cast on	Stitches	108	116	124	132	140
Work in ribbing of k 1, p 1 for $1\frac{3}{4}$ inches. Now work in stockinette st (k 1 row, p 1 row), increasing 1 st at both ends of every 6th row until there are on needle	Stitches	128	136	144	152	160
Work without increasing until piece measures in all, ending with a purl row . . .	Inches	9	9	$9\frac{1}{2}$	$9\frac{1}{2}$	10
To Shape Cap Sleeves: Cast on at the beginning of next	Rows	12	12	8	8	8
.	Stitches	4	4	5	5	6
On Sizes 16, 18 and 20 only: Cast on 4 sts at the beginning of next 4 rows. There are on needle	Stitches	176	184	200	208	224
Place a marker at both ends of next row (marker indicates start of sleeve edge). Continue to work in stockinette st, increasing 1 st at both ends of every	Row	2nd	2nd	2nd	3:d	3rd
until there are on needle	Stitches	188	192	204	228	236
Inc 1 st at both ends of every	Row	3rd	3rd	3rd	—	4th
until there are on needle	Stitches	196	204	220	228	244
ending with a purl row.						
To Shape Neck: K across first	Stitches	84	88	95	99	106
bind off next	Stitches	28	28	30	30	32
k across remaining	Stitches	84	88	95	99	106
Now work over the last set of sts only as follows: Next row (sleeve edge): Inc 1 st at beginning of row and at same edge every 3rd row thereafter 10 times in all						
At the Same Time						
bind off 2 sts at neck edge every other row 3 times in all. Still increasing 1 st at sleeve edge as indicated, dec 1 st at neck edge every row 26 times in all, ending at sleeve edge. There are on needle	Stitches	62	66	73	77	84
To Shape Shoulder and Top of Sleeve: Still decreasing 1 st at neck edge every other row as before	Times	11	12	13	13	13
bind off 5 sts at sleeve edge at the beginning of next row and every other row, in all	Times	7	6	8	12	7
Bind off at same edge	Stitches	4	4	4	4	6
.	Times	4	6	5	1	6
Attach yarn to opposite side of neck edge and work other side to correspond, reversing shapings.						
RIGHT BACK . . . Starting at lower edge, cast on	Stitches	59	63	67	71	75
Work in ribbing of k 1, p 1 as follows: 1st row: K 1, * p 1, k 1. Repeat from * across. 2nd row: P 1, * k 1, p 1. Repeat from * across. Repeat last 2 rows until piece measures $1\frac{3}{4}$ inches, ending with 2nd row. Now work as follows: 1st row: K across to last 10 sts, (p 1, k 1) 5 times (border). 2nd row: (P 1, k 1) 5 times; p across. Work in stockinette st, keeping border in ribbing as established and increasing 1 st at side edge every 6th row until there are on needle	Stitches	69	73	77	81	85
Work without increasing until piece measures in all, ending at side edge . . .	Inches	9	9	$9\frac{1}{2}$	$9\frac{1}{2}$	10
To Shape Cap Sleeve: Keeping border in ribbing as before, cast on at the beginning of next row and every other row	Stitches	4	4	5	5	6
.	Times	6	6	4	4	4
On Sizes 16, 18 and 20 only: Cast on 4 sts at same edge every other row twice in all. There are on needle	Stitches	93	97	105	109	117
Place a marker at sleeve edge and continue to work in stockinette st, increasing 1 st at sleeve edge every	Row	2nd	2nd	2nd	3rd	3rd
until there are on needle	Stitches	99	101	107	119	123
Still keeping border in ribbing, inc 1 st at sleeve edge every	Row	3rd	3rd	3rd	—	4th

Continued on page 27

C-263... a finger tip length coat that works up faster than you would believe possible...

COAT

CHADWICK'S RED HEART KNITTING WORSTED, 4 Ply, Art. E.232:

(1 oz. "Tangle-Proof" Pull-Out Skeins):

Sizes (Bust Measurement)	30	32	34	36	38	40	42
Skeins	28	30	33	35	38	40	43

4 skeins for cap.

Clark's O.N.T. Plastic Knitting Pins, 1 pair No. 8 (5 mm. size).

Use yarn double throughout.

GAUGE: 4 sts make 1 inch; 5 rows make 1 inch.

BLOCKING MEASUREMENTS:	SIZES	10	12	14	16	18	20	42
Bust	Inches	30	32	34	36	38	40	42
Width across back	Inches	17	18	19	20	21	22	23
Width across each front	Inches	9½	10	10½	11	11½	12	12½
Length from shoulder to lower edge	Inches	24½	25	26	26½	27	27½	27½
Length of side seam	Inches	17½	17½	18	18	18½	18½	18½
Length of sleeve seam	Inches	11	13	14	14	14	14	14
Width across sleeve at upperarm	Inches	14	15	16	17	17	18	18
BACK ... Starting at lower edge with double yarn, cast on	Stitches	69	73	77	81	85	89	93
Work in ribbing of k 1, p 1 as follows: 1st row: K 1, * p 1, k 1. Repeat from * across. 2nd row: P 1, * k 1, p 1. Repeat from * across. Work in ribbing for	Inches	17½	17½	18	18	18½	18½	18½
Place a marker at both ends of row (to indicate start of armhole). Continue in ribbing until piece measures from marker	Inches	7	7½	8	8½	8½	9	9
To Shape Shoulders: Bind off	Stitches	12	12	9	9	10	10	11
at beginning of the next	Rows	4	2	6	4	6	4	6
Bind off	Stitches	—	13	—	11	—	12	—
at beginning of the next	Rows	—	2	—	2	—	2	—
Bind off the remaining	Stitches	21	23	23	23	25	25	27
LEFT FRONT ... Starting at lower edge, cast on	Stitches	39	41	43	45	47	49	51
Work in ribbing as for Back until piece measures, ending with the 2nd row	Inches	17½	17½	18	18	18½	18½	18½
Place a marker at the beginning of row and continue to work in ribbing until piece measures from marker ending with first row of ribbing	Inches	4	4	4½	4½	4½	4½	4½
To Shape Neck: Dec 1 st at beginning of next row and at same edge on every row thereafter until there remain	Stitches	24	25	27	29	30	32	33
Work without decreasing if necessary until piece measures from marker ending at side edge	Inches	7	7½	8	8½	8½	9	9
To Shape Shoulder: Bind off	Stitches	12	12	9	9	10	10	11
at beginning of next row and every other row	Times	2	1	3	2	3	2	3
On Sizes 12, 16 and 20, work one more row. Bind off remaining sts.								
RIGHT FRONT ... Work exactly as for Left Front, reversing shapings.								
SLEEVES ... Starting at cuff, cast on	Stitches	48	52	56	60	60	64	64
Work in ribbing of k 1, p 1 for 6 inches. Now, being careful to keep continuity of ribbing, inc 1 st at both ends of every	Row	5th	7th	8th	8th	8th	8th	8th
until there are on needle	Stitches	56	60	64	68	68	72	72
Work without increasing until piece measures in all	Inches	11	13	14	14	14	14	14
Bind off loosely in ribbing.								
Block to measurements. Sew side, shoulder and sleeve seams. Sew in sleeves.								
COLLAR ... With right side facing, pick up and knit around entire neck edge	Stitches	59	63	65	73	73	83	83
Work in ribbing as for Back for 4½ inches. Bind off. Press collar through a damp cloth.								
CAP ... Starting at one edge with double yarn, cast on 52 sts and work in ribbing as for Sleeve Size 12 until piece meas-								
ures 13 inches. Bind off loosely in ribbing. Sew up back seam. Arrange as illustrated.								

. . . and the style-right hat is
nothing more than an extra
sleeve twisted to form
a top-knot!

C-263 . . . Coat and Hat





C-259 . . Button Trim Cardigan

Illustrated in color on Page 17

CHADWICK'S RED HEART SOCK & SWEATER YARN, 3 Ply, Art. E.255:

(1 oz. "Tangle-Proof" Pull-Out Skeins):

Sizes (Bust Measurement)	30	32	34	36	38	40	42	44
Skeins	7	8	8	9	9	10	10	11

Clark's O.N.T. Plastic Knitting Pins, 1 pair No. 1 (2½ mm. size) and 1 pair No. 2 (2¾ mm. size).

Clark's O.N.T. Plastic Crochet Hook No. 2.

8 button molds . . . Small pearl buttons and rhinestones for trimming.

GAUGE: 8 sts make 1 inch; 10 rows make 1 inch.

BLOCKING MEASUREMENTS: See page 31.

	SIZES	10	12	14	16	18	20	42	44
BACK . . . Starting at lower edge with No. 1 knitting pins, cast on	Stitches	120	128	136	144	152	160	168	176
Work in ribbing of k 2, p 2 for	Inches	2½	2½	2½	3	3	3½	3½	4
Change to No. 2 knitting pins and work in stockinette st (k 1 row, p 1 row) until piece measures in all	Inches	10½	11½	11½	11¾	12	13	13½	14
or length desired.									
To Shape Armholes: Bind off at the beginning of next 2 rows	Stitches	8	9	9	9	10	10	12	12
Bind off at the beginning of following	Rows	—	—	2	2	2	4	4	4
.	Stitches	—	—	2	2	2	2	2	2
Dec 1 st at both ends of every other row until there remain	Stitches	96	100	104	108	112	116	120	124
Work without decreasing until piece measures from first row of armhole shaping, ending with a purl row	Inches	6	6½	7	7½	7½	8	8	8
To Shape Shoulders: Bind off at the beginning of next	Rows	4	4	4	8	6	6	8	8
.	Stitches	9	9	10	8	8	8	9	9
Bind off at the beginning of following 2 rows	Stitches	10	11	11	—	10	10	—	—
Place on a stitch holder to be worked later the remaining	Stitches	40	42	42	44	44	48	48	52
LEFT FRONT . . . Starting at lower edge with No. 1 knitting pins, cast on	Stitches	64	68	72	76	80	84	88	92
Work in ribbing of p 2, k 2 for	Inches	2½	2½	2½	3	3	3½	3½	4
Change to No. 2 knitting pins and work in stockinette st until piece measures in all, ending at side edge	Inches	10½	11½	11½	11¾	12	13	13½	14
or length desired.									
To Shape Armhole: Bind off at the beginning of next row	Stitches	8	9	9	9	10	10	12	12
Bind off 2 sts at same edge every other row	Times	—	—	once	once	once	twice	twice	twice
Dec 1 st at same edge on every other row until there remain	Stitches	52	54	56	58	60	62	64	66
Work without decreasing until piece measures from first row of armhole shaping, ending at front edge	Inches	4	4	4½	4½	4½	4½	4½	4½
To Shape Neck: Bind off 16 sts at the beginning of next row. Dec 1 st at neck edge every other row until there remain	Stitches	28	29	31	32	34	34	36	36
Work without decreasing until piece measures from first row of armhole shaping, ending at armhole edge	Inches	6	6½	7	7½	7½	8	8	8
To Shape Shoulder: Bind off at the beginning of next row and every other row	Stitches	9	9	10	8	8	8	9	9
.	Times	2	2	2	4	3	3	4	4
On Sizes 10, 12, 14, 18 and 20, work one more row. Bind off remaining stitches.									

With pins, mark the position of 7 buttons on Left Front, having the first pinmark ½ inch up from lower edge (the last button is on neckband).

Continued on page 23

C-259 . . . Continued from page 22

RIGHT FRONT . . . Starting at lower edge with No. 1 knitting pins, cast on Stitches	64	68	72	76	80	84	88	92
Work in ribbing of k 2, p 2. Ribbing of waistband is now reversed. Work as for Left Front, reversing shapings and making a buttonhole 3 sts in from front edge opposite each pinmark—to make a buttonhole, on one row bind off 2 sts and on next row cast on 2 sts to replace those bound off.								
SLEEVES (long) . . . Starting at cuff edge with No. 1 knitting pins, cast on Stitches	56	56	60	60	64	68	72	76
Work in ribbing of k 2, p 2 for 3 inches. Change to No. 2 knitting pins and work in stockinette st, increasing 1 st at both ends of every 6th row until there are on needle Stitches								
	92	96	100	104	108	112	116	120
Work without increasing until piece measures in all . . Inches	15	17	18	18	18	18	18	18
To Shape Top: Bind off at the beginning of next 2 rows Stitches	8	9	9	9	10	10	12	12
Bind off 2 sts at the beginning of next Rows	—	—	2	2	2	4	4	4
Dec 1 st at both ends of every 4th row until there remain Stitches	66	66	62	64	68	64	64	72
Dec 1 st at both ends of every other row until there remain Stitches	56	56	60	60	60	—	—	64
Bind off 2 sts at the beginning of next 10 rows. Bind off 5 sts at the beginning of next 4 rows. Bind off the remaining Stitches	16	16	20	20	20	24	24	24
SLEEVES (¾ length) . . . Starting at cuff edge with No. 1 knitting pins, cast on Stitches	72	76	80	84	88	92	96	100
Work in ribbing of k 2, p 2 for 2½ inches. Change to No. 2 knitting pins and work in stockinette st, increasing 1 st at both ends of every 8th row until there are on needle. . . Stitches								
	92	96	100	104	108	112	116	120
Work without increasing until piece measures in all . . Inches	11	12	13	13½	14	14½	14½	14½
To Shape Top: Complete as for Long Sleeves.								
SLEEVES (short length) . . . Starting at cuff edge with No. 1 knitting pins, cast on Stitches	80	84	88	92	96	100	104	108
Work in ribbing of k 2, p 2 for 2 inches. Change to No. 2 knitting pins and work in stockinette st, increasing 1 st at both ends of every 3rd row until there are on needle. . . Stitches								
	92	96	100	104	108	112	116	120
Work without increasing until piece measures in all . . Inches	4	4	4	4½	4½	5	5	5½
To Shape Top: Complete as for Long Sleeves.								
NECKBAND . . . Sew shoulder seams. With right side facing and No. 1 knitting pins, pick up and k around entire neck edge Stitches	110	114	118	126	134	142	146	150
Work in ribbing of k 2, p 2 as follows: 1st row: P 2, * k 2, p 2. Repeat from * across. 2nd row: K 2, * p 2, k 2. Repeat from * across. Repeat the last 2 rows until neckband measures 1 inch, making a buttonhole in line with previous buttonholes when piece measures ½ inch. Bind off in ribbing.								
SCALLOPED EDGING . . . 1st row: Starting at lower Left Front edge with wrong side facing and crochet hook, make a row of sc along Left Front edge (5 sc to 1 inch), * (insert hook in next st on neck edge and draw loop through) twice and complete as for an sc. Repeat from * along neck edge.	Now work over Right Front edge to correspond with Left Front edge. Ch 1, turn. 2nd row: Sc in first sc, * ch 1, skip next sc, in next sc make (dc, ch 1) twice and dc; ch 1, skip next sc, sc in next sc. Repeat from * across, ending with sc in last sc. Break off.							
CROCHETED BUTTON (Make 8) . . . Starting at center, ch 2. 1st rnd: 7 sc in 2nd ch. from hook. 2nd, 3rd and 4th rnds:	Sc in each sc around. Insert buttonmold and sew up opening.							
Block to measurements. Sew up side and sleeve seams. Sew in sleeves. Embroider cardigan with pearl buttons and rhine-	stones as illustrated. Work buttonhole st around buttonholes. Sew on crocheted buttons to correspond with buttonholes.							

Choose your favorite Colors . . . from the wide variety available in

Chadwick's RED  HEART Quality Yarns

. . . see them at your art needlework counter.



Especially for Evening...

C-264 . . . a cocktail-into-evening sweater made with Chadwick's Red Heart ORLON "Fashion-Glo."

Illustrated in color on Back Cover

CHADWICK'S RED HEART ORLON "FASHION-GLO," 3 Ply, Art. E.265-M:
(1 oz. "Tangle-Proof" Pull-Out Skeins):

Sizes (Bust Measurement)	32	34	36	38	40
Skeins	7	8	9	9	10

Clark's O.N.T. Plastic Knitting Pins, 1 pair No. 1 (2½ mm. size) and 1 pair No. 2 (2¾ mm. size).

Clark's O.N.T. Plastic Crochet Hook No. 2.

GAUGE: 8 sts make 1 inch; 10 rows make 1 inch.

BLOCKING MEASUREMENTS: See page 31.

	SIZES	12	14	16	18	20
BACK . . . Starting at lower edge with No. 1 knitting pins, cast on	Stitches	112	120	128	136	144
Work in ribbing of k 1, p 1 for	Inches	2	2	2½	2½	3
Change to No. 2 knitting pins and work in stockinette st (k 1 row, p 1 row), increas-	Stitches	128	136	144	152	160
ing 1 st at both ends of every 10th row until there are on needle	Inches	11	11	11¼	11½	12½
Work without increasing until piece measures in all	Inches	5	5½	6	6	6½
Place a marker at both ends of row (to indicate start of armhole). Continue to work						
in stockinette st until piece measures from marker, ending with a purl row . . .	Inches	5	5½	6	6	6½
To Shape Neck: K across the first	Stitches	40	44	46	50	52
bind off the next	Stitches	48	48	52	52	56
k across the last	Stitches	40	44	46	50	52
Turn and work over the last set of sts only, binding off at neck edge on every other	Stitches	2	2	3	3	4
row	Times	8	10	2	6	5
Bind off at neck edge on every other row	Stitches	—	—	2	2	2
If necessary work without decreasing until piece measures from marker, ending with	Times	—	—	8	4	4
a purl row	Inches	7	7½	8	8	8½
Bind off the remaining 24 sts.						

Attach yarn to opposite side of neck edge and work to correspond, reversing shapings.

FRONT . . . Work exactly as for Back until piece measures in all, ending with a						
purl row	Inches	11	11	11¼	11½	12½
Place a marker at both ends of next row. Continue to work in stockinette st until						
piece measures from marker	Inches	—	—	½	½	1
To Shape Neck: K across first	Stitches	63	67	71	75	79
bind off next 2 sts, k across last	Stitches	63	67	71	75	79
Turn and work over the last set of sts only, decreasing 1 st at neck edge every other	Stitches	32	34	42	50	58
row until there remain	Stitches	32	34	42	50	58
Dec 1 st at same edge every row until 24 sts remain. Bind off.						

Attach yarn to opposite side of neck edge and work to correspond, reversing shapings.

SLEEVES . . . Starting at lower edge with No. 2 knitting pins, cast on	Stitches	70	74	82	82	86
Work in stockinette st, increasing 1 st at both ends of every 6th row until there are	Stitches	112	120	128	128	136
on needle	Inches	15	15	15½	16	16½
Work without increasing until piece measures	Inches	15	15	15½	16	16½
or length desired. Bind off.						

Block to measurements. Sew side, shoulder and sleeve seams. Sew in sleeves.

EDGING . . . With crochet hook and right side facing, attach yarn to center front at neck edge, sc in same place, sc closely around making picots 1 inch apart—to make a picot, ch 3, sl st in last sc made. Join and break off. Work Edging on Sleeves the same way.

C-265 . . . a shoulder-shrug, crocheted in simple motifs with knitted cuffs—sprinkled with sequins for gala occasions.



CHADWICK'S RED HEART SOCK & SWEATER YARN, 3 Ply,

Art. E.255: 3 skeins (1 oz. "Tangle-Proof" Pull-Out Skeins).

Clark's O.N.T. Plastic Crochet Hook No. 4.

Clark's O.N.T. Plastic Knitting Pins, 1 pair No. 2 ($2\frac{3}{4}$ mm. size).

Each motif measures 6 inches square.

MOTIF (Make 12) . . . Starting at center, ch 6. Join with sl st to form ring. **1st rnd:** Ch 3, 19 dc in ring. Join to top of ch 3. **2nd rnd:** Sc in same place as sl st, * ch 3, sc in next dc. Repeat from * around. Join. **3rd and 4th rnds:** Sl st in next loop, sc in same loop, * ch 3, sc in next loop. Repeat from * around. Join. **5th and 6th rnds:** Sl st to center of next loop, sc in same loop, * ch 5, sc in next loop. Repeat

from * around. Join. **7th rnd:** Sl st to center of next loop, sc in same loop, * ch 5, dc in next loop, ch 5, in next loop make tr, ch 5 and d tr; in next loop make d tr, ch 5 and tr; ch 5, dc in next loop, ch 5, sc in next loop. Repeat from * around. Join and break off.

Make 3 rows of 4 motifs and sew motifs neatly together. If desired, trim motifs with sequins and beads. Sc closely across each long side.

CUFFS . . . With knitting pins and right side facing, pick up and knit 80 sts along short end of shoulderette. Work in ribbing of k 1, p 1 for 3 inches. Bind off loosely in ribbing. Sew up cuff seam and 1 inch of shoulderette. Complete other side to correspond. Press through a damp cloth.

It's so easy to add to your wardrobe . . .

with simple crocheted accessories . . . see pages 16 and 17.

C-260 Pink Collar

Illustrated on Page 16

CHADWICK'S RED HEART ORLON "FASHION-GLO," 3 Ply, Art. E.265-M: 1 skein (1 oz. "Tangle-Proof" Pull-Out Skein) of No. M.737 Pink.

Milwards Steel Crochet Hook No. 2/0 (double zero).

Pink pearls.

Starting at neck edge, make a chain 13 inches long. **1st row:** Dc in 4th ch from hook, * dc in next 6 ch, 2 dc in next ch. Repeat from * across. Ch 1, turn. **2nd row:** Sc in each dc across, sc in top of turning chain. Ch 3, turn. **3rd row:** Skip first sc, dc in each sc, increasing 12 dc evenly across—to inc 1 dc, make 2 dc in 1 sc. Ch 1, turn. **4th row:** Repeat 2nd row. **5th row:** Sc in first sc, * ch 3, skip 1 sc, sc in next sc. Repeat from * across. Ch 1, turn. **6th row:** Sc in first loop, * ch 3, sc in next loop. Repeat from * across, ending with sc in last loop. Ch 1, turn. **7th row:** Sc in first loop, * 7 dc in next loop, sc in next loop. Repeat from * across. Break off.

TIES . . . Attach yarn to left side of neck edge and make a chain 5 inches long. Break off. Attach yarn to other side, make a chain 5 inches long, sc in 2nd ch from hook, sc in each ch across, sc in each ch across opposite side of starting chain and across other chain. Break off.

Press through a damp cloth. Sew a pearl at base of each scallop and 3 pearls to end of each tie.

C-261 Green Collar

Illustrated on Page 17

CHADWICK'S RED HEART ORLON "FASHION-GLO," 3 Ply, Art. E.265-M: 1 skein (1 oz. "Tangle-Proof" Pull-Out Skein) of No. M.676 Emerald.

Milwards Steel Crochet Hook No. 2/0 (double zero).

22 large pearls; 22 large green sequins; 22 small green beads.

Starting at neck edge, ch 71 to measure 13 inches. **1st row:** Dc in 4th ch from hook and in each ch across. Ch 3, turn. **2nd row:** In first dc make dc, ch 1 and 2 dc (shell made); * skip 1 dc, dc in next dc, skip next dc, in next dc make 2 dc, ch 1 and 2 dc. Repeat from * across (18 shells). Ch 3, turn. **3rd and 4th rows:** * In sp of next shell, make 2 dc, ch 1 and 2 dc; dc in next dc. Repeat from * across, ending with shell in last shell. Ch 3, turn. **5th row:** * 5 dc in sp of next shell, dc in next dc. Repeat from * across. Break off.

EDGING . . . Attach yarn at beginning of first row and, working across short side, ch 3, dc closely across to first shell, 2 dc in first 3 dc, dc in next 2 dc, * sc in next dc, dc in

next 5 dc. Repeat from * across, ending with sc in last dc between shells, dc in next 2 dc, 2 dc in next 3 dc, dc closely across other short side. Break off.

TIE . . . Attach yarn to left side of neck edge, make a chain 7 inches long. Break off. Attach yarn to opposite side, make a chain 7 inches long, sc in 2nd ch from hook and in each ch across, sc in each ch across opposite side of starting chain and across other chain. Break off.

Press through a damp cloth. Sew a sequin, pearl and small bead to each scallop, to center of each side at front and to end of each tie.

C-262 Hat and Bag

Illustrated on Page 17

CHADWICK'S RED HEART ORLON "FASHION-GLO," 3 Ply, Art. E.265-M: 4 skeins (1 oz. "Tangle-Proof" Pull-Out Skeins) of No. M.12 Black.

Milwards Steel Crochet Hook No. 2/0 (double zero).

A pillbox hat frame, 6½ x 7 inches in diameter.

A small rhinestone pin . . . a black feather . . . ½ yard material for lining hat . . . ¼ yard buckram and ¼ yard lining material for bag . . . 40 rhinestones . . . a snap fastener.

GAUGE: 5 sc make 1 inch; 5 rows or rnds make 1 inch.

HAT . . . Starting at center of crown, ch 2. **1st rnd:** 6 sc in 2nd ch from hook. **2nd rnd:** 2 sc in each sc around. **3rd rnd:** * 2 sc in next sc (1 sc increased), sc in next sc. Repeat from * around. **4th rnd:** Sc in each sc, increasing 6 sc evenly around. Repeat 4th rnd until piece measures same as top of frame (piece may be stretched to allow for slight oval of frame).

SIDE PIECE . . . 1st rnd: Sc in back loop of each sc around. **2nd rnd:** Working through both loops, sc in each sc around. Repeat 2nd rnd until piece measures same depth as side of frame. Join and break off.

Line frame with material. Place crocheted piece over frame (it should fit snug but not tight enough to cause frame to fold or crease). Sew neatly in place. Sew on feather and place pin at base of feather.

BAG . . . Starting at bottom, ch 41 to measure 8¼ inches. **1st row:** Sc in 2nd ch from hook, sc in each ch across. Ch 1, turn. **2nd row:** Sc in each sc across. Ch 1, turn. Repeat 2nd row until piece measures 10 inches. Ch 1, turn.

FLAP . . . 1st row: Dec 1 sc—to dec 1 sc, work off 2 sc as 1 sc—sc in each sc across to within last 2 sc, dec 1 sc. Ch 1, turn. **2nd row:** Sc in each sc across. Ch 1, turn. Repeat last 2 rows 6 more times. Ch 1, turn. Repeat first row 6 more times. Break off.

Fold straight edge up 5 inches to form pocket. Sew side seams. Line bag with buckram and lining material. Sew rhinestones around outer edge of flap. Sew snap fastener in place.

C-258 Scoop Neck Blouse . . . Continued from page 19

until there are on needle **Stitches** 103 107 115 119 127
ending with a knit row (center back edge).

To Shape Neck: Work in ribbing across the first 11 sts and place these 11 sts just worked onto a stitch holder, bind off next **Stitches** 8 8 9 9 10
purl across to last st, inc 1 st in last st. Inc 1 st at sleeve edge every 3rd row 9 more times

At the Same Time

bind off 2 sts at neck edge every other row 3 times in all. Dec 1 st at neck edge every row 26 times in all. There are on needle **Stitches** 62 66 73 77 84
ending at sleeve edge.

To Shape Shoulder and Top of Sleeve: Decreasing 1 st at neck edge every other row **Times** 11 12 13 13 13
bind off 5 sts at the beginning of next row (sleeve edge) and every other row **Times** 7 6 8 12 7
Bind off at same edge **Stitches** 4 4 4 4 6
 **Times** 4 6 5 1 6

With pins, mark the position of 6 buttons on Right Back, having the first pin mark $\frac{1}{2}$ inch up from lower edge (the 7th button will be $\frac{3}{4}$ inch from beginning of neckband).

LEFT BACK . . . Work as for Right Back, reversing border and shapings and making a buttonhole 4 sts in from center edge opposite each pin mark—to make a buttonhole, on one row bind off 3 sts and on the next row cast on 3 sts to replace those bound off.

SHOULDER BAND (Make 2) . . . Sew shoulder and top seams of sleeves. Starting at lower point of shoulder band, cast on 3 sts. Work in ribbing as for Front, increasing 1 st at both ends of every other row until there are 11 sts on needle. Work without increasing until piece is long enough to reach to top of shoulder seam. Place on a stitch holder to be worked later.

NECKBAND . . . With wrong side facing and circular needle, attach yarn to 11 sts of Left Back and work in ribbing across these 11 sts. Turn. **Next row:** Work in ribbing across these 11 sts, with same needle pick up and knit to within $\frac{3}{4}$ inch of left shoulder seam **Stitches** 68 70 72 72 74
work in ribbing across the 11 sts of one shoulder band; starting $\frac{3}{4}$ inch from left shoulder seam, pick up and knit to within $\frac{3}{4}$ inch of right shoulder seam . . . **Stitches** 137 139 141 141 143
work in ribbing across the 11 sts of other shoulder band; starting $\frac{3}{4}$ inch from right shoulder seam, pick up and knit along Right Back to within 11 sts of border. **Stitches** 68 70 72 72 74
work in ribbing across the 11 border sts. There are on needle **Stitches** 317 323 329 329 335
Now work in ribbing as established for $11\frac{1}{2}$ inches, making a buttonhole in line with previous buttonholes when piece measures $\frac{3}{4}$ inch. Bind off tightly in ribbing.

Block to measurements. Sew side and sleeve seams in one continuous seam. Make a row of sc along bottom of sleeves. Sew on small buttons to correspond with buttonholes. Sew large buttons to top of shoulder bands as illustrated.



Warm-Ups for Chilly Days

C-266 . . . simple-to-make shoulderette—woven on rayon scrim

Illustrated below, showing front and back

CHADWICK'S RED HEART KNITTING WORSTED, 4 Ply, Art. E.232: 9 skeins (1 oz. "Tangle-Proof" Pull-Out Skeins) of No. 515 Dk. Turquoise.

Clark's O.N.T. Plastic Knitting Pins, 1 pair No. 4 (3½ mm. size).

A piece of Rayonet curtain material, 20 x 48 inches.

1 yard elastic, ½ inch wide . . . A long tapestry needle.

PROCEDURE . . .

1. Turn under one wide space along each short side and baste in place (weaving is worked through both thicknesses).
2. Place fabric taut on curtain stretcher, or place over a flat surface, weighting ends.

WEAVING . . .


1. Leave 3 wide spaces from selvedge free on each long side for hems.

2. Cut yarn into 50-inch lengths. Thread needle and, starting on 4th wide space, weave lengthwise twice through each wide space and once through each narrow space, following diagram as indicated below.

HEMS . . .

1. Weave in pattern through the 2nd narrow space in from selvedge. Cut off selvedge and upright bars of last wide space.
2. Turn last narrow space under at woven line and, working in pattern, weave through both thicknesses.
Fold piece in half lengthwise and sew together for 10 inches from each end to form sleeves. Sew hem across lower edge of opening, inserting elastic. Sew ends of elastic in place. Sew hem across other side, omitting elastic.

CUFF (Make 2) . . . With knitting pins, cast on 60 sts and work in ribbing of k 2, p 2 until piece measures 4 inches. Bind off in ribbing. Sew cuffs in place, gathering ends to fit.



. . . whether you knit, crochet
or weave on scrim, one of these
warm-ups is right for you!



C-267 . . . Cape Stole
Directions on Page 30



C-268 . . . Striped Scarf
Directions on Page 30

C-267 Cape Stole

Illustrated on Page 29

CHADWICK'S RED HEART ORLON "FASHION-GLO," 3 Ply, Art. E.265-M: 8 skeins (1 oz. "Tangle-Proof" Pull-Out Skeins) of No. M.491 Pearl Grey.

Clark's O.N.T. Plastic Crochet Hook No. 6.

GAUGE: 1 shell and 1 sc make $1\frac{3}{4}$ inches; 1 row makes 1 inch.

Starting at inner edge, make a chain to measure 90 inches (6 ch sts to 1 inch). **1st row (Right Side):** Drawing the first loop of each dc up to measure $\frac{3}{4}$ inch make dc, ch 1 and dc in 6th ch from hook (hereafter make each dc to measure same height—half shell made at start of row), ch 1, * skip 4 ch, sc in next ch, ch 1, skip 4 ch, in next ch make (dc, ch 1) 5 times (shell made). Repeat from * until 15 shells have been completed, skip 4 ch, sc in next ch, (ch 1, skip 3 ch, shell in next ch, skip 3 ch, sc in next ch) 9 times; (ch 1, skip 4 ch, shell in next ch, skip 4 ch, sc in next ch) 15 times; ch 1, skip 4 ch, in next ch make (dc, ch 1) twice and dc (half shell made at end of row). There are 39 shells on row. Cut off remaining chain. Place a marker on 16th and 24th shells to indicate the beginning and end of the increased section. Place another marker on the 20th shell to indicate center of stole. Ch 1, turn. **2nd row:** Sc in first dc, * ch 1, in next sc make dc, ch 5 and dc, ch 1 (open shell made); sc in center dc of next shell. Repeat from * across, ending with an open shell in last sc, sc in 5th ch of turning chain. Ch 5, turn. **3rd row:** Half shell in first sc, (sc in ch-5 sp of next open shell, shell in next sc) 15 times; sc in ch-5 sp of next open shell, ch 1, in next dc of same open shell make (dc, ch 1) 3 times; sc in next sc, ch 1, in first dc of next open shell make (dc, ch 1) 3 times; sc in ch-5 sp of same open shell (1 shell increased), (shell in next sc, sc in ch-5 sp of next open shell) 7 times; inc 1 shell, (shell in next sc, sc in ch-5 sp of next open shell) 15 times; ending with half shell in next sc. Ch 1, turn. **4th row:** Repeat 2nd row. **5th row:** Work as for 3rd row increasing 1 shell over center shell only. Ch 1, turn. **6th row:** Repeat 2nd row. **7th row:** Work as for 5th row, increasing 1 shell over 17th shell and over corresponding shell at opposite side of center marker. **8th row:** Repeat 2nd row. **9th row:** Repeat 7th row. **10th row:** Repeat 2nd row.

Drop loop from hook and work short rows as follows: **1st short row:** Attach a second skein of yarn to ch-5 sp of 17th open shell, sc in same sp, (shell in next sc, sc in ch-5 sp of next open shell) 6 times; (inc 1 shell over next shell) twice; (shell in next sc, sc in ch-5 sp of next open shell) 6 times. Turn. **2nd short row:** Sl st in each st to center dc of first shell, sc in center dc, (open shell in next sc, sc in center dc of next shell) 16 times. Break off. Attach yarn to first sc made on first short row. Work 2 more short rows as before without increasing. Break off. Pick up dropped loop and work 2 long rows in pattern as before, increasing as necessary to keep work rounded and flat in increased section, always having the increases in corresponding shells before and after the center marker. Drop loop from hook at end of last long row. Work 4 more short rows, attaching yarn to ch-5 sp of 16th open shell and working across to corresponding open shell at opposite side of center. Continue to work in this manner, making 2 long rows and 4 short rows alternately, at the same time increasing as before on every other shell row and attaching the yarn to the ch-5 sp of the open shell of the first and 3rd short rows (1 shell preceding and following the open shell of the last group of short rows). Break off at end of 18th long row.

EDGING . . . With right side of work facing, attach yarn to ch where half shell was made at beginning of first row.

Working along the side edge in the end sc of the 2nd row, make (ch 1, dc) 7 times; * ch 1, sc in end sc of next open-shell row, in end sc of next open-shell row make (ch 1, dc) 7 times. Repeat from * across short side, making (ch 1, dc) 9 times in end sc of last open-shell row, work in pattern across outer edge of shells, making (ch 1, dc) 9 times in end sc of last open shell, ch 1, sc in end sc of previous open-shell row and complete to correspond with other short side. Break off. Press to shape through a damp cloth.

C-268 Striped Scarf

Illustrated on Page 29

10 x 68 inches (excluding fringe)

CHADWICK'S RED HEART KNITTING WORSTED, 4 Ply, Art. E.232: 11 skeins (1 oz. "Tangle-Proof" Pull-Out Skeins) of No. 12 Black and 8 skeins of No. 243 Mid Orange.

Clark's O.N.T. Plastic Double-pointed Sock Needles, 1 set No. 4 ($3\frac{1}{2}$ mm. size).

GAUGE: $5\frac{1}{2}$ sts make 1 inch; 7 rnds make 1 inch.

Starting at narrow end with Black, cast on 110 sts. Divide sts among 3 needles and join, being careful not to twist sts. Work in stockinette st (k each rnd) until piece measures 4 inches in all. Break off Black, attach Mid Orange and continue in stockinette st until piece measures 8 inches in all. Break off Mid Orange. Work in this manner alternating stripes every 4 inches until piece measures 68 inches in all, ending with a Black stripe. Bind off.

Block Scarf to measurements and sew ends together.

FRINGE . . . Cut 4 strands of Black yarn, each 9 inches long. Double these strands to form a loop. Insert hook through both thicknesses at end of one short side and draw loop through, then draw loose ends through loop and pull up tightly. Make a fringe every $\frac{1}{2}$ inch along short side. Complete other short side the same way. Trim fringe evenly. Press lightly through a damp cloth.

C-254 Woman's Cable Socks

Illustrated on Page 11

Sizes 8½-10½

CHADWICK'S RED HEART KNITTING WORSTED, 4 Ply, Art. E.232: 8 skeins (1 oz. "Tangle-Proof" Pull-Out Skeins) for all sizes.

Clark's O.N.T. Plastic Double-pointed Sock Needles, 1 pair No. 3 (3 mm. size) and 1 pair No. 4 ($3\frac{1}{2}$ mm. size).

GAUGE: $6\frac{1}{2}$ sts make 1 inch; 7 rnds make 1 inch.

CUFF . . . With No. 3 needles cast on 64 sts loosely. Divide sts among 3 needles and join, being careful not to twist sts. Work in ribbing of k 2, p 2 for 2 inches. Change to No. 4 needles and work in pattern as follows: **1st rnd:** * P 6, slip next 2 sts onto a double-pointed needle and place in front of work, knit next 3 sts, knit the 2 sts from double-pointed needle, slip next 3 sts onto a double-pointed needle and place in back of work, knit next 2 sts, knit the 3 sts from double-pointed needle. Repeat from * around. **2nd rnd:** * P 6, k 10, p 6, k 2, (p 1, k 1) 3 times; k 2. Repeat from * around. **3rd rnd:** * P 6, k 10, p 6, k 2, (k 1, p 1) 3 times; k 2. Repeat from * around. **4th to 11th rnds incl:**

Continued on page 31

Repeat 2nd and 3rd rnds alternately. **12th rnd:** Repeat 2nd rnd. **13th rnd:** * P 6, slip next 3 sts onto a double-pointed needle and place in back of work, knit next 2 sts, knit the 3 sts from double-pointed needle, slip next 2 sts onto a double-pointed needle and place in front of work, knit next 3 sts, knit the 2 sts from double-pointed needle. Repeat from * around. **14th rnd:** * P 6, k 2, (p 1, k 1) 3 times; k 2, p 6, k 10. Repeat from * around. **15th rnd:** * P 6, k 2, (k 1, p 1) 3 times; k 2, p 6, k 10. Repeat from * around. **16th to 23rd rnds incl:** Repeat 14th and 15th rnds alternately. **24th rnd:** Repeat 14th rnd. The last 24 rnds constitute the pattern. Work in pattern until piece measures 13½ inches in all, or length desired, ending with first or 13th rnd of pattern.

Divide sts for Heel as follows: With 4th needle, k across 27 sts from first 2 needles, slip 5 sts from 3rd needle onto other end of 4th needle (there are 32 heel sts on 4th needle). Divide remaining sts on 2 needles for Instep. Work over heel sts as follows: **Next row:** P 1, * p 2 tog, p 2. Repeat from * to last 3 sts, p 2 tog, p 1 (24 sts remain).

HEEL . . . 1st row: * Sl 1 st, k 1. Repeat from * across. **2nd row:** Sl 1, p across. Repeat the last 2 rows alternately until piece measures 2¼ inches, ending with a purl row.

To Turn Heel: 1st row: K 14, k 2 tog, k 1. Turn. **2nd row:** Sl 1, p 5, p 2 tog, p 1. Turn. **3rd row:** Sl 1, k 6, k 2 tog, k 1. Turn. **4th row:** Sl 1, p 7, p 2 tog, p 1. Turn. **5th row:** Sl 1,

k 8, k 2 tog, k 1. Turn. **6th row:** Sl 1, p 9, p 2 tog, p 1. Turn. **7th row:** Sl 1, k 10, k 2 tog, k 1. Turn. **8th row:** Sl 1, p 11, p 2 tog, p 1. Turn. **9th row:** Sl 1, k 12, k 2 tog. Turn. **10th row:** Sl 1, p 12, p 2 tog. Turn. **11th row:** K across (14 sts remain on heel needle).

INSTEP . . . With same needle (first needle), pick up and k 12 sts along edge of heel. With 2nd needle work across 2 instep needles as follows: P 2, p 2 tog, p 3, p 2 tog, p 2. Work in pattern across next 10 sts, p 2, p 2 tog, p 3, p 2 tog, p 2. With 3rd needle pick up and k 12 sts along other edge of heel, k 7 sts from heel needle. There are now 19 sts on first and 3rd needles and 28 sts on 2nd needle.

To Shape Instep: 1st rnd: K to last 3 sts on first needle, k 2 tog, k 1; on 2nd needle p across, keeping 10 center sts in pattern; on 3rd needle, k 1, sl 1, k 1, p.s.s.o., k to end of rnd. **2nd rnd:** K around, keeping in pattern across 2nd needle. Repeat the last 2 rnds alternately until 14 sts remain on each of the first and 3rd needles. Work without decreasing until piece measures from back of heel—6 inches for Size 8½; 6½ inches for Size 9; 7 inches for Size 9½; 7½ inches for Size 10; 8 inches for Size 10½, or 2½ inches less than length desired.

To Shape Toe: 1st rnd: K to last 3 sts on first needle, k 2 tog, k 1; on 2nd needle, k 1, sl 1, k 1, p.s.s.o., k across to last 3 sts, k 2 tog, k 1; on 3rd needle, k 1, sl 1, k 1, p.s.s.o., knit to end of rnd. **2nd rnd:** K around. Repeat the last 2 rnds alternately until 20 sts remain. With 3rd needle knit across sts of first needle (10 sts on each of 2 needles). Break yarn, leaving 20 inches of yarn at end of needle. Weave sts together.

GENERAL INFORMATION

STANDARD BLOCKING MEASUREMENTS: All directions in this book are based on the blocking measurements given below. Any garments contained herein which have variations in length of side seam or width should be blocked according to the measurements given in the direction.

STANDARD BLOCKING MEASUREMENTS:	SIZES	10	12	14	16	18	20	42	44
Bust	Inches	30	32	34	36	38	40	42	44
Width across back at underarm	Inches	15	16	17	18	19	20	21	22
Width across each front at underarm	Inches	8	8½	9	9½	10	10½	11	11½
Width across back above armhole shaping	Inches	12	12½	13	13½	14	14½	15	15½
Length from shoulder to lower edge	Inches	16½	18	18½	19¼	19½	21	21½	22
Length of side seam	Inches	10½	11½	11½	11¾	12	13	13½	14
Length of sleeve seam (long)	Inches	15	17	18	18	18	18	18	18
(¾ length)	Inches	11	12	13	13½	14	14½	14½	14½
(short)	Inches	4	4	4	4½	4½	5	5	5½
Width across sleeve at upperarm	Inches	11½	12	12½	13	13½	14	14½	15

GAUGE: Is the most important information in the whole book. In order to obtain garments like the illustration, it is imperative to keep to gauge.

ABBREVIATIONS

k knit
p purl
inc increase
dec decrease

tog together
ch chain
sc single crochet
half dc half double crochet
dc double crochet

tr treble
d tr double treble
sl st slip stitch
rnd round
incl inclusive

p.s.s.o. pass slipped stitch
over knit stitch
O yarn over
sp space
st(s) stitch(es)

* (asterisk) . . . Repeat the instructions following the asterisk as many times as specified.

Repeat instructions in parentheses as many times as specified. For example: "(Ch 5, sc in next sc) 5 times" means to make all that is in parentheses 5 times in all, also

"(K 1, O, p 3) 4 times" means to make whatever is in parentheses 4 times in all.

KNIT and CROCHET

Style Parade

SWEATERS AND ACCESSORIES FEATURING CHADWICK'S ORLON YARNS



CHADWICK'S
RED  HEART
Quality Yarns